


Bush Size	Type	OD max mm	L mm
-----------	------	--------------	---------

1008	A	35,0	22,3
1108	A	38,0	22,3
1210	A	47,5	25,4
1215	A	47,5	38,1
1310	A	50,5	25,4
1610	A	57,0	25,4
1615	A	57,0	38,1
2012	A	70,0	31,8
2017	A	70,0	44,5
2517	A	85,5	44,5
2525	A	85,5	63,5
3020	A	108,0	50,8
3030	A	108,0	76,2
3525	B	127,0	63,5
3535	B	127,0	88,9
4030	B	146,0	76,2
4040	B	146,0	101,6
4535	B	162,0	88,9
4545	B	162,0	114,3
5040	B	177,5	101,6
5050	B	177,5	127,0

Taper Bush Dimensions



Metric Taper Bushes

Bore (F8) mm	Keyway (H9)																							
	b mm	h	1008	1108	1210	1215	1310	1610	1615	2012	2017	2517	2525	3020	3030	3525	3535	4030	4040	4535	4545	5040	5050	
9	3	1,4	•	•																				
10	3	1,4	•	•																				
11	4	1,8	•	•	•	•																		
12	4	1,8	•	•	•	•	•	•	•															
14	5	2,3	•	•	•	•	•	•	•	•	•													
15	5	2,3	•	•	•	•	•	•	•	•	•	•												
16	5	2,3	•	•	•	•	•	•	•	•	•	•												
18	6	2,8	•	•	•	•	•	•	•	•	•	•												
19	6	2,8	•	•	•	•	•	•	•	•	•	•	•											
20	6	2,8	•	•	•	•	•	•	•	•	•	•	•											
22	6	2,8	•	•	•	•	•	•	•	•	•	•	•											
24	8	3,3(1,3)	☆	•	•	•	•	•	•	•	•	•	•											
25	8	3,3(1,3)	☆	•	•	•	•	•	•	•	•	•	•	•	•									
28	8	3,3(1,3)		☆	•	•	•	•	•	•	•	•	•	•	•	•	•							
30	8	3,3			•	•	•	•	•	•	•	•	•	•	•	•	•	•						
32	10	3,3			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
35	10	3,3(1,3)					☆	•	•	•	•	•	•	•	•	•	•	•	•					
38	10	3,3						•	•	•	•	•	•	•	•	•	•	•	•					
40	12	3,3						•	•	•	•	•	•	•	•	•	•	•	•					
42	12	3,3(1,3)						•	☆	•	•	•	•	•	•	•	•	•	•	•				
45	14	3,8								•	•	•	•	•	•	•	•	•	•	•				
48	14	3,8								•	•	•	•	•	•	•	•	•	•	•	•			
50	14	3,8								•	•	•	•	•	•	•	•	•	•	•	•			
55	16	4,3										•	•	•	•	•	•	•	•	•				
60	18	4,4										•	•	•	•	•	•	•	•	•	•			
65	18	4,4(2,3)										•	☆	•	•	•	•	•	•	•	•	•		
70	20	4,9												•	•	•	•	•	•	•	•	•	•	
75	20	4,9												•	•	•	•	•	•	•	•	•	•	
80	22	5,4														•	•	•	•	•	•	•	•	
85	22	5,4														•	•	•	•	•	•	•	•	
90	25	5,4															•	•	•	•	•	•	•	
95	25	5,4															•	•	•	•	•	•	•	
100	28	6,4																•	•	•	•	•	•	
105	28	6,4																		•	•	•	•	
110	28	6,4																		•	•	•	•	
115	32	7,4																			•	•	•	
120	32	7,4																				•	•	
125	32	7,4																					•	

☆ Denotes a more shallow key depth than standard

Imperial Taper Bushes

Bore (F8)	Keyway (H9)																							
	b inch	h inch	1008	1108	1210	1215	1310	1610	1615	2012	2017	2517	2525	3020	3030	3525	3535	4030	4040	4535	4545	5040	5050	
3/8	1/8	1/16	•	•																				
7/16	1/8	1/16	•	•																				
1/2	1/8	1/16	•	•	•	•	•	•	•															
9/16	3/16	3/32	•	•	•	•	•	•	•															
5/8	3/16	3/32	•	•	•	•	•	•	•															
11/16	3/16	3/32	•	•	•	•	•	•	•															
3/4	3/16	3/32	•	•	•	•	•	•	•	•	•	•												
13/16	1/4	1/8	•	•	•	•	•	•	•	•	•	•	•											
7/8	1/4	1/8	•	•	•	•	•	•	•	•	•	•	•	•										
15/16	1/4	1/8 (1/16)	✱	•	•	•	•	•	•	•	•	•	•	•										
1	1/4	1/8 (1/16)	✱	•	•	•	•	•	•	•	•	•	•	•										
1-1/16	5/16	1/8 (5/64)		✱	•	•	•	•	•	•	•	•	•											
1-1/8	5/16	1/8 (5/64)		✱	•	•	•	•	•	•	•	•	•											
1-3/16	5/16	1/8			•	•	•	•	•	•	•	•	•											
1-1/4	5/16	1/8			•	•	•	•	•	•	•	•	•	•	•									
1-5/16	3/8	1/8					•	•	•	•	•	•	•	•	•	•								
1-3/8	3/8	1/8					•	•	•	•	•	•	•	•	•	•								
1-7/16	3/8	1/8					•	•	•	•	•	•	•	•	•	•								
1-1/2	3/8	1/8					•	•	•	•	•	•	•	•	•	•	•							
1-5/8	7/16	5/32 (1/8)						•	✱	•	•	•	•	•	•	•	•							
1-3/4	7/16	5/32								•	•	•	•	•	•	•	•	•	•					
1-7/8	1/2	5/32								•	•	•	•	•	•	•	•	•	•	•				
2	1/2	5/32								•	•	•	•	•	•	•	•	•	•	•	•			
2-1/8	5/8	7/32										•	•	•	•	•	•	•	•	•	•			
2-1/4	5/8	7/32										•	•	•	•	•	•	•	•	•	•	•		
2-3/8	5/8	7/32										•	•	•	•	•	•	•	•	•	•	•	•	
2-1/2	5/8	7/32										•	•	•	•	•	•	•	•	•	•	•	•	
2-5/8	3/4	1/4											•	•	•	•	•	•	•	•	•	•	•	
2-3/4	3/4	1/4											•	•	•	•	•	•	•	•	•	•	•	
2-7/8	3/4	1/4											•	•	•	•	•	•	•	•	•	•	•	
3	3/4	1/4											•	•	•	•	•	•	•	•	•	•	•	
3-1/8	7/8	5/16												•	•	•	•	•	•	•	•	•	•	
3-1/4	7/8	5/16													•	•	•	•	•	•	•	•	•	
3-3/8	7/8	5/16														•	•	•	•	•	•	•	•	
3-1/2	7/8	5/16 (1/4)														✱	✱	•	•	•	•	•	•	
3-3/4	1	3/8 (1/4)																✱	✱	•	•	•	•	
4	1	3/8 (1/4)																✱	✱	•	•	•	•	
4-1/4	1 1/4	7/16 (1/4)																		✱	✱	•	•	
4-1/2	1 1/4	7/16 (1/4)																		✱	✱	•	•	
4-3/4	1 1/4	7/16																				•	•	
5	1 1/4	7/16 (5/16)																				•	✱	

✱ Denotes a more shallow key depth than standard